

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**




FIG. 1

A hand-drawn schematic diagram on a grid background. The diagram features a central circular component with internal lines and labels 210, 215, 218, 225, 230a, 230b, and 230c. To the left, a diagonal line with an arrow is labeled 221. Above the circle, a diagonal line with an arrow is labeled 220. To the right, a diagonal line with an arrow is labeled 205. Below the circle, a horizontal line is labeled 216. At the bottom right, there is a circular component labeled 270 with an arrow inside, connected to a ground symbol labeled 275. The label 225 is also present near the bottom center of the main circular component.

Fig. 2

